

Wash basin ED3-0

Art. no. ED3-0
GTIN 7055570015124




| | |
|----------------------------------|-----------------|
| Overall dimension in mm | 400 x 400 x 178 |
| Depth in mm | 130 |
| Material | AISI 304 |
| Material thickness in mm | 0,8 |
| Installation height in mm | 850 |
| Gross weight in kg | 1.90 |
| Weight, pallet | 139.00 |
| Pcs per pallet | 60 |
| Made in | Norway |

Description

Wall hung basin, with 1 1/4" grated waste and supporting bracket.

Installation

Fix the waste and supporting bracket to the sink. Then, fix the sink to the wall.



Installation ED3-0

ASSEMBLY:

Included in the box:

- * Washstand
- * Valve with dome grate 1 1/4" and 1 1/2"
- * Gasket, Celleprene
- * Support bracket:
- * Assembly kit

Ensure that you have all the parts before assembly

begins.

Mount the valve and support bracket onto the sink.
Affix
the sink to the wall through the mounting holes in
support bracket and the foldover edge on the sink.
Screws
are included.

Maintenance ED3-0

SPARE PARTS:

Valve with dome grate 1 1/4" and 1 1/2": 79136

Gasket, Celleprene: 91099

Support bracket: 91018

Screw bag: YMX01

INTRA PRODUCTS OF STAINLESS STEEL

In order for your Intra stainless steel product AISI304 to retain its original quality and appearance we recommend regular cleaning. Use mild soap or cleaning products specifically designed for stainless steel and clean water. Then wipe the surface with a drycloth.

Never use detergents containing chlorine, iodine, fluoride or abrasives on stainless steel.

Also avoid contact with acid solutions and other substances incompatible with stainless steel.

Remember that food and skin care products may contain such substances, e.g. ketchup, juice, salt, certain cleansers, nail polish, etc. Promptly remove spills of such products.

Observe the following:

* Do not allow water or other liquid to dry in. This is to avoid staining the surface.

* Even though stainless steel can withstand harsh treatment, it can easily be scratched by sharp objects. For products with normal, polished (brushed) finish, this will be very visible when the product is new, but after a period of use, this will be negated as the steel loses its lustre. For products with satin and polished finishes, the scratches will always be visible. Never use scouring powder or steel wool on stainless steel. In addition to scratching the steel, wire wool will leave behind small particles that may develop into rust spots which, over time, may corrode the steel.

* Stainless steel must not come into contact with, or be in environments containing, chlorine solutions for long periods of time.

* Silver polish causes stains which cannot be removed.