

### Wash basin IC4

Art. no. GTIN IC4-32 7055570016121






Overall dimension in mm Depth in mm Bowl dim. in mm Material Pcs per pallet Design

554 x 405 x 108 97 500 x 310 x 81,7 AISI 304 30 Halvor Thorsen

#### Description

Icon wash basin is designed for wall mounting. The wash basin is pressed in one piece with laser-cut and integrated drain hole concealed with a removable drain cover. Supplied with drain cover, integrated brackets, overflow and tap hole.





## Installation IC4

#### ASSEMBLY:

Included in the box:

- \* Wash basin with pre-mounted brackets
- \* Valve set with overflow
- \* Assembly equipment
- \* Drain cover

Use the washbasin brackets as a template for predrilling of holes for mounting the basin. Ensure that the correct screws are selected in terms of type of wall the washbasin will be installed. Ensure that everything has been included in the box before starting assembly.

PS: When mounting the overflow, do not usetools just hand power. Mount the outlet parts and overflow onto the washstand before it isglued onto the countertop.Put the outlet cover in place to finish.



# Maintenance IC4

SPARE PART:

Drain cover: ZICDEKSELLIMT Valve set with overflow: 79145

#### MAINTENANCE: INTRA PRODUCTS OF STAINLESS STEEL

For all lcon washstands: The outlet cover can be removedin order to clean the underside ofthe cover In order for your Intra stainless steel product AISI304 to retain its original quality and appearance we recommend regular cleaning. Use mild soap or cleaning products specifically designed for stainless steel and clean water. Then wipe the surface with a dry cloth. Never use detergents containing chlorine, iodine, fluoride or abrasives on stainless steel. Also avoid contact with acid solutions and other substances incompatible with stainless steel. Remember that food and skin care products may contain such substances, e.g. ketchup, juice, salt, certain cleansers, nail polish, etc. Promptly remove spills of such products. Observe the following:

\* Do not allow water or other liquid to dry in. This is to avoid staining the surface.

\* Even though stainless steel can withstand harsh treatment, it can easily be scratched by sharp objects. For products with normal, polished (brushed) finish, this will be very visible when the product is new, but after a period of use, this will be negated as the steel loses its lustre. For products with satin and polished finishes, the scratches will always be visible. Never use scouring powder or steel wool on stainless steel. In addition to scratching the steel, wire wool will leave behind small particles that may develop into rust spots which, over time, may corrode the steel. \* Stainless steel must not come into contact with, or be in environments containing, chlorine solutions for long periods of time.

\* Silver polish causes stains which cannot be removed.