

### Bucket sink GUB

Art. no.

GUB1 7393069023046





Overall dimension in mm  $455 \times 340 \times 412$ 

Depth in mm 217

**Bowl dim. in mm**  $400 \times 290 \times 217$ 


Waste hole dim. in mm 52 Material **AISI 304** Material thickness in mm 0,9 Installation height in mm 600 Product load in N 1000 Gross weight in kg 3.60 Weight, pallet 133.00 Pcs per pallet 30

#### **Description**

Bucket sink in stainless steel for wall mounting. Supplied with wall panel in stainless steel, supporting bracket and 1 1/2" grated waste.

### Installation

Fix waste and supporting bracket to the sink. Fasten sink to the wall through the two holes in the supporting bracket and the holes in the upstand in the rear of the sink. Fix wall panel parallel to the upstand and the fixing holes in the top corners of the wall panel. Screws and plugs are supplied.







## Installation GUB

ASSEMBLY:

**INCLUDED INTHE BOX:** 

- \* Bucket sink
- \* Wall panel
- \* Assembly equipment
- \* Assembly instructions

Optional accessories: Bucket grid - GUBRIST

Ensure that you have all the parts before assembly

### begins.

Fix waste and supporting bracket to the sink. Fasten sink to the wall through the two holes in the supporting bracket and the holes in the upstand in the rear of the sink. Fix wall panel parallel to the upstand and the fixing holes in the top corners of the wall panel. Screws and plugs are supplied.





# Maintenance GUB

SPARE PARTS:

Wall panel: ZVBGUB

Waste 1 1/4" and 1 1/2" grated waste: 79136

Packaging: 91002

**MAINTENANCE:** 

INTRA PRODUCTS OF STAINLESS STEEL

In order for your Intra stainless steel product AISI304 to retain its original quality and appearance we recommend regular cleaning. Use mild soap or cleaning products specifically designed for stainless steel and clean water. Then wipe the surface with a dry cloth. Never use detergents containing chlorine, iodine, fluoride or abrasives on stainless steel. Also avoid contact with acid solutions and other substances incompatible with stainless steel. Remember that food and skin care products may contain such substances, e.g. ketchup, juice, salt, certain cleansers, nail polish, etc. Promptly remove spills of such products.

Observe the following:

- \* Do not allow water or other liquid to dry in. This is to avoid staining the surface.
- \* Even though stainless steel can withstand harsh treatment, it can easily be scratched by sharp objects. For products with normal, polished (brushed) finish, this will be very visible when the product is new, but after a period of use, this will be negated as the steel loses its lustre. For products with satin and polished finishes, the scratches will always be visible. Never use scouring powder or steel wool on stainless steel. In addition to scratching the steel, wire wool will leave behind small particles that may develop into rust spots which, over time, may corrode the steel.
- \* Stainless steel must not come into contact with, or be in environments containing, chlorine solutions for long periods of time.
- \* Silver polish causes stains which cannot be removed.