

Bucket sink L1

Art. no. L1
 GTIN 7393069022902




Overall dimension in mm	490 x 390 x 370
Depth in mm	175
Bowl dim. in mm	440 x 340 x 175
Waste hole dim. in mm	95
Material	AISI 304
Material thickness in mm	0,9
Installation height in mm	600
Product load in N	1000
Gross weight in kg	3.50
Weight, pallet	128.60
Pcs per pallet	28

Description

Bucket sink in stainless steel for wall mounting. Supplied with stainless steel wall panel, supporting bracket and 3 1/2" x 2" waste with plug and overflow.

Installation

Fix waste and supporting bracket to the sink. Fasten sink to the wall through the two holes in the supporting bracket and the holes in the upstand in the rear of the sink. Fix wall panel parallel to the upstand and the fixing holes in the top corners of the wall panel. Screws and plugs are supplied.



Installation L1

ASSEMBLY:

Included in the box:

- * Sink
- * Wall components
- * Assembly equipment

Valves and brackets are mounted onto the sink.

The sink is affixed to the wall through the support bracket's two

mounting holes and the mounting holes in the sink's foldover against the wall's and door panel's lower hole and

upper corners. Plugs and screws supplied.

SPARE PARTS:

Wall components: ZVBUDH

Valve plug and chain, with overflow 1 1/2" and 3 1/2": 79015

Bracket: 91020

Packaging: 91002

MAINTENANCE: INTRA PRODUCTS OF STAINLESS STEEL

In order for your Intra stainless steel product AISI304 to

retain its original quality and appearance we recommend

regular cleaning. Use mild soap or cleaning products specifically designed for stainless steel

and clean water. Then wipe the surface with a dry cloth.

Never use detergents containing chlorine, iodine, fluoride or abrasives on stainless steel.

Also avoid contact with acid solutions and other

substances incompatible with stainless steel.

Remember that food and

skin care products may contain such substances, e.g. ketchup, juice, salt, certain cleansers, nail polish, etc. Promptly remove spills of such products.

Observe the following:

* Do not allow water or other liquid to dry in. This is to avoid staining the surface.

* Even though stainless steel can withstand harsh treatment, it can easily be scratched by sharp objects. For products with

normal, polished (brushed) finish, this will be very visible when

the product is new, but after a period of use, this will be negated as the steel loses its lustre. For products with satin and polished finishes, the scratches will always be

visible. Never use scouring powder or steel wool on stainless

steel. In addition to scratching the steel, wire wool will leave behind small particles that may develop into

rust spots which, over time, may corrode the steel.

* Stainless steel must not come into contact with, or be in environments containing, chlorine solutions for long periods of time.

* Silver polish causes stains which cannot be removed.